

TREE TIE TREE TIE BRACING STAKES, MIN 50x50x2400 PRESSURE TREATED WOOD 1000 AWAY FROM TRUNK BACKFILL WITH PLANTING SOIL MIX AS SPECIFIED CONTRACTOR TO ENSURE DRAINING PERCOLATION OF PLANTING PIT FRIOR TO INSTALLATION


TREE PLANTING DETAIL GROUND STAKING FOR TREES 1.8m TO 2.5mTALL




PLAN VIEW




PLAN VIEW
GROUND STAKING FOR TREES GREATER THAN 2.5m



TREE PLANTING DETAIL WITH PAVEMENT DETAIL



TYPICAL DETAIL FOR TREE
TRANSPLANTATION



ROOT BARRIER, SEE NOTE 7

LENGTH PROPORTIONAL TO FULLY GROWN TREE CANOPY

TREE PLANTING WITH ROOT BARRIER ADJACENT TO UTILITIES
TYPICAL ARRANGEMENT

NOTES:

- ALL DIMENSIONS ARE IN MILLIMETRES UNLESS OTHERWISE STATED.
- ALL MATERIALS AND WORKMANSHIP SHALL BE IN ACCORDANCE WITH THE CURRENT Q.C.S. UNLESS OTHERWISE AGREED WITH THE ENGINEER.
- THE CONTRACTOR SHALL MAKE HIMSELF FULLY AWARE OF THE SITE CONDITIONS, EXISTING GROUND WATER LEVELS, NECESSITY FOR BACK PROPPING EXCAVATED AREAS AND EXISTING SERVICES.
- PRIOR TO THE COMMENCEMENT OF THE WORKS, THE CONTRACTOR SHALL BE RESPONSIBLE FOR PRODUCING A COMPLETE SET OF CO-ORDINATED SHOP DRAWINGS FOR ALL ELMENTS OF THE LANDSCAPING WORKS FOR THE ENGINEER'S APPROVAL.
- BASE OF PLANT TO RETAIN SAME LEVEL AS FINISH GRADE.
- 6. KEEP SHRUB PLANTING 600MM CLEAR OF TRUNK. CONTRACTOR TO PROVIDE SHOP DRAWING ON STAKING FOR APPROVAL BY THE LANDSCAPE ARCHITECT.
- 7. ROOT BARRIER (ROOT CONTROL SYSTEM) TO BE GREEN LEAF REROOT 1000, IMM THICKNESS OR APPROVED EQUAL. ALTERNATIVE PRODUCTS SHALL MEET GCS2014. AND BE APPROVED BY THE PUBLIC PARKS DEPARTMENT.

LEGEND:

FFL FINISHED FOOTWAY LEVEL
FGL FINISHED GROUND LEVEL



هيئـــة الأشغــال العامـــة Public Works Authority

P.O.Box 22188
Tel.: (0974) 44950000
Fax.: (0974) 44950999
www.ashghal.gov.qa

ر تستدق الأفضال Qatar Deserves The

PA PROJECTS AFFAIRS

OCS Section:

Section 28 - Landscaping Part 1 - Landscape Planting

rawing riue:

PLANTING DETAILS

Approved:	Sheet No:	1 OF	3	
Date: APRIL 2016	Scale:	NTS		
Drawing Number:				Revision:
SD 28-1-101			1	