


PAVEMENT EDGING (K9)





P.C.C. EDGING (K10)

- NOTES:
1. ALL DIMENSIONS ARE IN MILLIMETRES UNLESS OTHERWISE STATED.
 2. ALL MATERIALS AND WORKMANSHIP SHALL BE IN ACCORDANCE WITH THE CURRENT Q.C.S. UNLESS OTHERWISE AGREED WITH THE ENGINEER.
 3. PRECAST CONCRETE KERBS, CHANNELS, EDGING AND QUADRANTS SHALL COMPLY WITH BS EN 1340.
 4. FOR LAYOUT OF FOOTWAYS AND PAVED AREAS REFER TO THE HARD LANDSCAPE DESIGN DRAWINGS.
 5. IN AREAS SUBJECT TO HIGH GROUND WATER OR EXTENSIVE IRRIGATION PRACTICES THE USE OF SULPHATE RESISTANT CEMENT (S.R.C.) MAY BE USED FOR THE KERB FOUNDATION AND BACKING IF AGREED BY THE ENGINEER.

1	20MAR16	ISSUED FOR USE	
0	15SEP13	ISSUED FOR USE	
Rev.	Date	Revision Details	Appd.

هيئة الأشغال العامة
Public Works Authority


P.O.Box 22188
Tel. : (0874) 44950000
Fax. : (0874) 44950999
www.ashghal.gov.qa


قطر تستحق الأفضل
Qatar Deserves The Best

PA
PROJECTS AFFAIRS

QCS Section:
Section 6 - Road Works
Part 11 - Kerbs, Footways and Paved Areas

Drawing Title:

EDGE PIECE
FOUNDATION DETAILS

Approved:	Sheet No:	1 OF 1
Date:	MARCH 2016	Scale: 1:4 on A1
Drawing Number:	SD 6-11-205	Revision: 1