


PLAN ON COVER

SECTION A-A
CHAMBER TYPE 'B'



SECTION D-D
CHAMBER TYPE 'C'



SECTION C-C
CHAMBER TYPE 'B'

- (FOR CONNECTION OF PROPERTY EXISTING INTERNAL DRAIN
TO RELAID PROPERTY INTERNAL DRAIN AS INSTRUCTED)

1. ALL DIMENSIONS ARE IN MILLIMETRES UNLESS OTHERWISE STATED.
2. ALL MATERIALS AND WORKMANSHIP SHALL BE IN ACCORDANCE WITH THE CURRENT C.C.S. UNLESS OTHERWISE AGREED WITH THE ENGINEER.
3. THIS DRAWING TO BE READ IN CONJUNCTION WITH ALL RELEVANT MANHOLE DETAILS.
4. ALL EXTERNAL FACES OF THE CHAMBERS TO BE PAINTED WITH TWO COATS OF COAL TAR EPOXY.
5. INTERNAL FACES OF THE CHAMBER TO HAVE TWO COATS OF EPOXY PAINT.
6. MINIMUM COVER TO PIPE OF INSPECTION CHAMBER TO BE 600mm.
7. FOR ADDITIONAL LATERAL CONNECTIONS BENCHING SHALL BE MODIFIED TO SUIT AND EACH CONNECTION BUILT IN EXTENDED SURROUND.
8. ALTERNATIVELY INSPECTIONS CHAMBER MAY BE FORMED USING PRE-CAST SECTIONS, THE CONTRACTOR MUST SUBMIT FULL DETAILS FOR APPROVAL.
9. FOR DEPTHS MORE THAN 1.5 METRE REFER TO MANHOLE STANDARD DRAWINGS.

هيئة الأشغال العامة
Public Works Authority

P.O.Box: 22188
Tel.: 00974 44950000
Fax: 00974 44950999

PA

ASHGHAL
قطر تستحق الأفضل
Qatar Deserves The Best
www.ashghal.gov.qa

Drawing Title:

HOUSE CONNECTION
CHAMBER DETAILS
DEPTH TO INVERT
LESS THAN 1.5m

Approved:	Sheet No:	1 OF 1
Date:	Scale:	N.T.S.
Drawing Number:	Revision:	
SD 8-4-214	5	