



TYPICAL PROPERTY CONNECTION DETAILS

- NOTES:
1. ALL DIMENSIONS ARE IN MILLIMETRES UNLESS OTHERWISE STATED.
 2. ALL MATERIALS AND WORKMANSHIP SHALL COMPLY WITH CURRENT Q.C.S. UNLESS OTHERWISE AGREED WITH THE ENGINEER.
 3. PRIOR TO CONSTRUCTION THE CONTRACTOR SHALL SUBMIT ALL DESIGNS, CALCULATION AND SHOP DRAWINGS (STRUCTURAL DETAILS) FOR THE ENGINEER'S APPROVAL.
 4. 'Y' TYPE CONNECTION IS NOT PERMITTED UNLESS OTHERWISE AGREED IN WRITING WITH THE ENGINEER.
 5. METHODS OF PROPERTY CONNECTIONS SHOWN ARE TYPICAL ONLY. PRIOR TO COMMENCEMENT OF WORK ON THE MAIN SEWER LINE, THE CONTRACTOR SHALL SURVEY EACH PROPERTY INDIVIDUALLY AND SUBMIT HIS PROPOSALS FOR APPROVAL TO THE ENGINEER'S REPRESENTATIVE.
 6. DEPTH OF MH1 SHALL BE COORDINATED WITH THE EXISTING SERVICES AND INVERT LEVEL OF RIDER SEWER MH PRIOR TO CONSTRUCTION
 7. REFER TO INTERIM ADVICE NOTE 023- HOUSE CONNECTION GUIDELINES FOR STAGE 1 AND STAGE 2 CONNECTIONS.

- LEGEND:
- HOUSE CONNECTION PIPEWORK
 - - - - - INTERNAL DRAINAGE
 - RIDER SEWER
 - LATERAL SEWER
 - IC INSPECTION CHAMBER
 - ST SEPTIC TANK
 - MH1 MANHOLE 1

4	APR 19	ISSUED FOR USE	
3	01 MAR 19	REVALIDATED ISSUE	
2	23NOV15	ISSUED FOR USE	
1	26JUL15	ISSUED FOR USE	
0	09JUN15	ISSUED FOR USE	

Rev.	Date	Revision Details	Appd.
------	------	------------------	-------

هيئة الأشغال العامة
Public Works Authority

P.O.Box: 22188
Tel.: 00974 44950000
Fax: 00974 44950999

قطر تستحق الأفضل
Qatar Deserves The Best
www.ashghal.gov.qa

PROJECTS AFFAIRS

QCS Section:

Section 8 - Drainage Works
Part 4 - Pipeline Installation

Drawing Title:

PROPERTY CONNECTION
HDPE RIDER SEWER

Approved:	Sheet No: 1 OF 1
Date: APRIL 2019	Scale: N.T.S.
Drawing Number: SD 8-4-223	Revision: 4