



NOTES:

1. ALL DIMENSIONS ARE IN MILLIMETRES UNLESS OTHERWISE STATED.
2. ALL MATERIALS AND WORKMANSHIP SHALL BE IN ACCORDANCE WITH THE CURRENT Q.C.S. UNLESS OTHERWISE AGREED WITH THE ENGINEER.
3. WHERE THERE IS A DISCREPANCY BETWEEN THE REQUIREMENTS IN THE SPECIFICATION AND THOSE SHOWN ON THIS DRAWING THE SPECIFICATION TAKE PRECEDENCE.
4. VC PIPES ARE EN 295 WITH SPIGOT AND SOCKET JOINTS.
5. VARIATION TO STANDARD DETAILS ARE PERMISSIBLE TO MEET SITE SPECIFIC REQUIREMENTS SUBJECT TO ENGINEER'S APPROVAL.
6. SEE DRAWING No. SD 8-4-106 FOR STRUCTURAL DETAILS AND NOTES.
7. ALL JOINTS BETWEEN CONCRETE SECTIONS ARE WATER TIGHT.
8. TYPICAL DETAILS SHOW FOR 600 DIA PIPES. SIMILAR LAYOUT CAN BE USED FOR LARGER PIPES OR MULTIPLE PIPES. DESIGNER SHALL PROVIDE STRUCTURAL CALCULATIONS.

LEGEND:

ST SCREED THICKNESS

4	APR 19	ISSUED FOR USE	
3	01 MAR 19	UPDATED ISSUE	
2	04APR16	ISSUED FOR USE	
1	01DEC15	ISSUED FOR USE	
0	15SEP13	ISSUED FOR USE	
Rev.	Date	Revision Details	Appd.

هيئة الأشغال العامة
Public Works Authority

P.O. Box: 22188
Tel.: 00974 44950000
Fax: 00974 44950999

قطر تستحق الأفضل
Qatar Deserves The Best
www.ashghal.gov.qa

PA
PROJECTS AFFAIRS

QCS Section:
Section 8 - Drainage Works
Part 4 - Pipe Installation

Drawing Title: TYPICAL OUTFALL DETAILS	
Approved:	Sheet No: 1 OF 1
Date: APRIL 2019	Scale: AS SHOWN
Drawing Number: SD 8-4-313	Revision: 4